



MACHINERY & EQUIPMENT FOR JEWELRY

GOLD MACHINE

PRODUCT CATALOGUE



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

X7 Mega polishing machine has 7250 cubic meters of suction power, premium beech wood bench, premium armrests, speed-adjustable polishing machine, 4500 rpm very powerful engine, and is protected against engine heat with its enclosed engine. Pipe system that provides easy cleaning. The most comprehensive and premium polishing machine ever produced, offering the opportunity to see the products in detail with its illuminated magnifier and scratch-resistant stainless polishing cabin.



Technical details

| | |
|------------------------|-------------------------------|
| Code & İsim | → X7 MEGA POLISHING MACHINE |
| Cila Motor | → 1 Hp 0,75 Kw |
| Vacuum Engine | → 4Hp 3 Kw |
| Suction Power | → 7250 Q:M3/H |
| Speed Adjustment | → 2 x 0-4500 Rpm |
| Weight | → 300 Kg. |
| Electricity | → 380 V - 50-60 Hz. |
| Dimensions | → W140cm X H157 cm X D 115 cm |
| Inner Chest Dimensions | → 122 X 147 X 161 |
| Outer Box Dimensions | → 130 X 155 X 176 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

It has 6750 m³ suction power and a 0-4500 Rpm polishing motor with 4 emergency stops. Hard plastic pipe system that provides easy cleaning. It is a masterpiece that emerged as a result of our years of R&D work and a true price-performance monster.



Technical details

| | |
|------------------------|-------------------------------|
| Code & İsim | → X6 MEGA CİLA MAKİNASI |
| Cila Motor | → 1 Hp 0,75 Kw |
| Vacuum Engine | → 4Hp 3 Kw |
| Suction Power | → 6750 Q:M3/H |
| Speed Adjustment | → 2 x 0-4500 Rpm |
| Weight | → 300 Kg. |
| Electricity | → 380 V - 50-60 Hz. |
| Dimensions | → W140cm X H157 cm X D 115 cm |
| Inner Chest Dimensions | → 122 X 147 X 161 |
| Outer Box Dimensions | → 130 X 155 X 176 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

With its 6750 m³ suction power and 2800 rpm engine power, it is a complete job done with a very powerful engine at an affordable price. This machine, which provides easy cleaning with its hard plastic pipe system, is one of the last masterpieces of our years of R&D work.



Technical details

| | |
|------------------------|-------------------------------|
| Code & İsim | → X5 MEGA CİLA MAKİNASI |
| Cila Motor | → 1 Hp 0,75 Kw |
| Vacuum Engine | → 4Hp 3 Kw |
| Suction Power | → 6750 Q:M3/H |
| Speed Adjustment | → 2 x 2800 Rpm |
| Weight | → 300 Kg. |
| Electricity | → 380 V - 50-60 Hz. |
| Dimensions | → W140cm X H157 cm X D 115 cm |
| Inner Chest Dimensions | → 122 X 147 X 161 |
| Outer Box Dimensions | → 130 X 155 X 176 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

It is one of the most functional models among polishing engines with its 2800 rpm double polishing motor and 5500 cubic meters of suction power and a hard plastic pipe system. Thanks to its closed engine, heating and noise problems are completely eliminated. It has a stronger and healthier working engine.



Technical details

| | |
|------------------------|-----------------------------------|
| Code & İsim | →SA-PLS-05 MEGA POLISHING MACHINE |
| Cila Motor | →1 Hp 0,75 Kw |
| Vacuum Engine | →4Hp 3 Kw |
| Suction Power | →5500 Q:M3/H |
| Speed | →2 x 2800 Rpm |
| Weight | →300 Kg. |
| Adjustment | →380 V - 50-60 Hz. |
| Electricity | |
| Dimensions | →W140cm X H157 cm X D 115 cm |
| Inner Chest Dimensions | →122 X 147 X 161 |
| Outer Box Dimensions | →130 X 155 X 176 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

It is a long-lasting, high-capacity production polishing machine with 4250 m³/h suction engine, comfortable working ergonomics. 1hp and 0.75 Kw 2800 rpm polishing motor. There are 2 bag filters and 2 honeycomb filter systems. The product can be divided into 2 parts during transportation. It can be moved easily with the help of wheels.



Technical details

| | |
|------------------------|------------------------------------|
| Code & İsim | → S-PLS-01 LARGE POLISHING MACHINE |
| Cila Motor | → 1 Hp 0,75 Kw |
| Vacuum Engine | → 2 Hp 1,5 Kw |
| Suction Power | → 4250 Q:M3/H |
| Speed | → 2800 Rpm |
| Weight | → 200 Kg. |
| Adjustment | → |
| Electricity | → 220 V - 50-60 Hz. |
| Dimensions | → W124cm X H132 cm X D110 cm |
| Inner Chest Dimensions | → 115 X 131 X 161 |
| Outer Box Dimensions | → 123 X 139 X 176 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Ideal for small businesses. It has a minimal design and is comfortable with 3250 cubic meters of suction power. You can get full performance in any environment with its dimensions that do not take up much space. It is the number one choice of small businesses with its 2800 rpm polishing motor and monophase motor.



Technical details

| | |
|------------------------|---|
| Code & İsim | → PLS-02 MEDIUM MODEL POLISHING MACHINE |
| Cila Motor | → 1 Hp 0,75 Kw |
| Vacuum Engine | → 1,5 Hp 1.1 Kw |
| Suction Power | → 3250 Q:M3/H |
| Speed | → 2800 Rpm |
| Weight | → 270 mm. |
| Adjustment | → H128cm x W110cm x D67cm |
| Electricity | → 120 Kg. |
| Dimensions | → 380 V - 50-60 Hz. |
| Inner Chest Dimensions | → W110cm X H128 cm X D 67 cm |
| Outer Box Dimensions | → 68 X 117 X 132 |
| | → 76 X 125 X 147 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

The ideal option for small businesses, the most advanced single-person model is both quiet and high-performance.



Technical details

| | |
|------------------------|---------------------------------------|
| Code & İsim | → PLS-01 SINGLE MAN POLISHING MACHINE |
| Cila Motor | → 1 Hp 0,75 Kw |
| Vacuum Engine | → 1,5 Hp 1.1 Kw |
| Suction Power | → 3250 Q:M3/H |
| Speed Adjustment | → 2800 Rpm |
| Weight | → 90 Kg. |
| Electricity | → 380 V - 50-60 Hz. |
| Dimensions | → W78cm X H128 cm X D 67 cm |
| Inner Chest Dimensions | → 68 X 83 X 126 |
| Outer Box Dimensions | → 76 X 91 X 141 |



GOLD MACHINE
PIONEER OF RECYCLING


www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Designed for mechanics and hobbyists. Suction power is 500 m³/hour. It contains a bag-shaped filter. ½ hp and 0.50 kW 2800 rpm polishing motors are available. It is easy to carry and takes up minimal space.



Technical details

Code & İsim

→ MP-02 DOUBLE PERSON DESKTOP POLISHING MACHINE

Cila Motor

→ ½ Hp 0.50 Kw

Vacuum Engine

→ 1/3 Hp 0,25 Kw

Suction Power

→ 500 Q:M3/H

Speed

→ 2800 Rpm

Weight

→ 55 Kg.

Adjustment

→ 220 V - 50-60 Hz.

Electricity

→ W71cm X H60 cm X D 60 cm

Dimensions

→ 75 X 66 X 64

Inner Chest Dimensions

→ 83 X 74 X 79

Outer Box Dimensions



GOLD MACHINE
PIONEER OF RECYCLING


www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Designed for mechanics and hobbyists. Suction power is 500 m³/hour. It contains a bag-shaped filter. ½ hp and 0.50 kW 2800 rpm polishing motors are available. It is easy to carry and takes up minimal space.



Technical details

| | |
|------------------------|---|
| Code & İsim | → MP-01 SINGLE PERSON DESKTOP POLISHING MACHINE |
| Cila Motor | → ½ Hp 0.50 Kw |
| Vacuum Engine | → 1/3 Hp 0,25 Kw |
| Suction Power | → 500 Q:M3/H |
| Speed | → 2800 Rpm |
| Weight | → 40 Kg. |
| Adjustment | → |
| Electricity | → 220 V - 50-60 Hz. |
| Dimensions | → W58cm X H42 cm X D 48 cm |
| Inner Chest Dimensions | → 60 X 65 X 45 |
| Outer Box Dimensions | → 68 X 73 X 60 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Lap+Polishing machine is a machine that can do 2 different jobs in the best way. With the 4250 cubic meter vacuum motor inside, you can use it for both polishing and polishing without any loss.



Technical details

Code & İsim

→PLA/LAP + POLISHING MACHINE

Cila Motor

→1 Hp 0,75 Kw

Lap Motor

→½ Hp. 0.37 Kw.

Motor power

→2 Hp 1,5 Kw

Suction Power

→4250 Q:M3/H

Speed

→0-4500 Rpm

Weight

→230 Kg.

Adjustment

→380 V - 50 Hz.

Electricity

→W124cm X H132 cm X D115 cm

Dimensions

→115 X 131 X 160

Inner Chest Dimensions

→123 X 139 X 175

Outer Box Dimensions



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

The double lap machine is the most ideal machine that has been developed to give the most effective performance with its unique ergonomic design, special design that attaches to the bag on the back panel and bright appearance. It offers superior performance with 2 emergency stops, adjustable speed engine and 4250 cubic meters of suction power.



Technical details

| | |
|---------------------------|---------------------------------|
| Code & İsim | →L-02 DOUBLE PERSON LAP MACHINE |
| Lap Motor | →1 Hp 0,55 Kw / 0,75 Kw |
| Vacuum Engine | →2 Hp 1,5 Kw |
| Suction Power | →4250 Q:M3/H |
| RPM | →2 x 0-4500 Rpm |
| Weight | →250 Kg. |
| Electricity | →380 V - 50-60 Hz. |
| Dimensions | →W49cm X H157 cm X D 115 cm |
| Chest Interior Dimensions | →120 X 131 X 160 |
| Outside Box Dimensions | →128 X 139 X 175 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Ergonomically designed, LED lighting and 4250 m³ Suction Power, the Super Lap Machine has the strongest suction power in its class. Adjustable engine up to 4500 Rpm. It opens a new era in Lap machines with its USB Type-C port and adjustable shaft. It has taken its place in our stocks with its stylish design and Gold Makina assurance.



Technical details

| | |
|---------------------------|-----------------------------------|
| Code & İsim | → S-L-01 SUPER VACUUM LAP MACHINE |
| Lap Motor | → 1 Hp 0,75 Kw |
| Vacuum Engine | → 2 Hp 1,5 Kw |
| Suction Power | → 4250 Q:M3/H |
| RPM | → 0-4500 Rpm |
| Weight | → 150 Kg. |
| Electricity | → 380 V - 50-60 Hz. |
| Dimensions | → W85cm X H160 cm X D 115 cm |
| Chest Interior Dimensions | → 85 X 160 X 115 |
| Outside Box Dimensions | → 98 X 140 X 177 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

In the machine, which can be easily configured with a right-angle motor, you have a chance of recovering the losses at a rate of 97-98%, thanks to its 2000 m³/h suction power and bag filter system. You can adjust the rotation speed with the inverter system. It can reach speeds between 0-4500 rpm.



Technical details

| | |
|---------------------------|--------------------------|
| Code & İsim | →L-01 LAP MACHINE |
| Lap Motor | →1 Hp 0,55 Kw/ 1 HP 0,75 |
| Vacuum Engine | →1/2 Hp 0,37 Kw |
| Suction Power | →2000 Q:M3/H |
| RPM | →0-4500 Rpm |
| Weight | →90 Kg. |
| Electricity | →220 V - 50 Hz. |
| Dimensions | →H117cmXw86cmXd75cm |
| Chest Interior Dimensions | →63 X 80 X 122 |
| Outside Box Dimensions | →71 X 88 X 137 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Our bench, which is a complete jeweler's bench with its ergonomic structure and higher suction power for two people, aims to minimize your losses. A quality countertop with LED lighting and 2 separate vacuum engines is the most comfortable and easy-to-work jewelery counter.



Technical details

| | |
|------------------------|---|
| Code & İsim | → N-WB-02 NEW TYPE TWO PERSON WORKBENCH |
| Vacuum Engine | → 1.5 Hp 1.1 Kw (2 PCS) |
| Suction Power | → 3250 Q:M3/H(2 PCS) |
| Dimensions | → H115 cm X W 180cm X D 65cm |
| Weight | → 250 Kg. |
| Electricity | → 220 V - 50 Hz. |
| Chest Inside Dimension | → 70 X 185 X 125 |
| Outside Box Dimensions | → 78 X 193 X 140 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Our bench, which is a complete jeweler's bench with its ergonomic structure and higher suction power for a single person, aims to minimize your losses. A quality counter is the most comfortable and easy to work jewelery counter with its LED lighting.



Technical details

| | |
|---------------------------|--------------------------------|
| Code & İsim | → N-WB-01 NEW SINGLE WORKBENCH |
| Vacuum Engine | → 1.5 Hp 1,1 Kw |
| Suction Power | → 3250 Q:M3/H |
| Dimensions | → H165cmXW 120cmXD 65cm |
| Weight | → 140 Kg. |
| Electricity | → 220 V - 50 Hz. |
| Chest Interior Dimensions | → 68 X 128 X 128 |
| Outside Box Dimensions | → 76 X 136 X 143 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Our bench, which is a complete jeweler's bench with its ergonomic structure and higher suction power for a single person, aims to minimize your losses.



Technical details

| | |
|---------------------------|--|
| Code & İsim | →WB-04 VACUUM WORK TABLE FOR FOUR PEOPLE |
| Vacuum Engine | →2 Hp 1.5 Kw (2 PCS) |
| Suction Power | →4250 Q:M3/H |
| Number of Filters | →4+2 |
| Dimensions | →H86cm x W167 cm x D93cm |
| Weight | →135 Kg. |
| Electricity | →220 V - 50 Hz. |
| Option | →380 V - 50 Hz. |
| Chest Interior Dimensions | →100 X 170 X 94 |
| Outside Box Dimensions | →108 X 178 X 109 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Our bench, which is a complete jeweler's bench with its ergonomic structure and higher suction power for a single person, aims to minimize your losses.



Technical details

| | |
|---------------------------|------------------------------------|
| Code & İsim | →WB-02 TWO PERSON WORKBENCH |
| Vacuum Engine | →1.5 Hp 1.1 Kw (3 PCS) |
| Suction Power | →3250 Q:M3/H |
| Number of Filters | →2+1 |
| Dimensions | →H86cm x W95 cm x D80cm |
| Weight | →75 Kg. |
| Electricity optional | →220 V - 50 Hz. →380 V - 50 Hz. |
| Chest Interior Dimensions | →70 X 185 X 125 |
| Outside Box Dimensions | →78 X 193 X 140 |



GOLD MACHINE
PIONEER OF RECYCLING




www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Diamond Cutting Machine is for removing the dust generated during the diamond cutting process. It has 2000 m³/hour suction power and two filter bags for two operators.



Technical details

| | |
|---------------------------|----------------------------|
| Code & İsim | → N-WB-03 ALGERIA LOUNGE |
| Vacuum Engine | → 1/2 Hp 0.37 Kw |
| Suction Power | → 2000 Q:M3/H |
| Number of Filters | → 2 |
| Dimensions | → H115cm X W100cm X D 46cm |
| Weight | → 70Kg. |
| Electricity | → 220 W |
| Chest Interior Dimensions | → 52 X 107 X 120 |
| Outside Box Dimensions | → 60 X 115 X 135 |



GOLD MACHINE

PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Magnetic polishes help lighten the color and reach a certain shine of stainless steel needles, which you cannot reach with the help of human hands or a brush after casting or polishing. It is produced in various sizes according to your capacity and all sizes are full stainless steel. Needles can rotate from right to left or left to right with factory-set timing.



Technical details

| | |
|---------------------------|----------------------|
| Code & İsim | → MG-01 BIG MAGNETIC |
| Motor | → 1.5 Hp 1,1 Kw |
| RPM | → 1500 |
| Timer | → 0-60 dk. |
| Capacity | → 1200 gr. |
| Weight | → 60 Kg. |
| Electricity | → 380 V - 50 Hz. |
| Dimensions | → H150cmXw54cmXd57cm |
| Chest Interior Dimensions | → 60 X 60 X 158 |
| Outside Box Dimensions | → 68 X 68 X 173 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Magnetic polishes help lighten the color and reach a certain shine of stainless steel needles, which you cannot reach with the help of human hands or a brush after casting or polishing. It is produced in various sizes according to your capacity and all sizes are full stainless steel. Needles can rotate from right to left or left to right with factory-set timing.



Technical details

| | |
|---------------------------|-------------------------|
| Code & İsim | → MG-03 MEDIUM MAGNETIC |
| Motor | → 1.5 Hp 0,75 Kw |
| RPM | → 1500 |
| Timer | → 0-60 dk. |
| Capacity | → 500 gr. |
| Weight | → 30 Kg. |
| Electricity | → 380 V - 50 Hz. |
| Dimensions | → H60cmXw38cmXd44cm |
| Chest Interior Dimensions | → 43 X 53 X 65 |
| Outside Box Dimensions | → 51 X 61 X 80 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Magnetic polishes help lighten the color and reach a certain shine of stainless steel needles, which you cannot reach with the help of human hands or a brush after casting or polishing. It is produced in various sizes according to your capacity and all sizes are full stainless steel. Needles can rotate from right to left or left to right with factory-set timing.



Technical details

| | |
|---------------------------|------------------------|
| Code & İsim | → MG-02 SMALL MAGNETIC |
| Motor | → 0,5 Hp 0,37 Kw |
| RPM | → 1500 |
| Timer | → 0-30 min. |
| Capacity | → 350 gr. |
| Weight | → 15 Kg. |
| Electricity | → 220 V 50 Hz. |
| Dimensions | → H61cmXw38cmXd45cm |
| Chest Interior Dimensions | → 43 X 53 X 65 |
| Outside Box Dimensions | → 51 X 61 X 80 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

It is a well-designed product with a 2-3 liter liquid capacity and a stainless working area where you can perform bath coating and pencil coating processes simultaneously. Optionally, there is a fan system that draws out the bad odors and fumes generated during the process and removes them from the production area.



Technical details

| | |
|---------------------------|-----------------------------|
| Code & İsim | → R-01 BREAKING-IN MAKİNASI |
| AC | → 1.5 Hp 1,1 Kw |
| DC | → 1500 |
| A | → 0-60 dk. |
| Resistance | → 800 W |
| Heat | → 0-90 C. |
| Dimensions | → H41cm x D51cm x W 60cm |
| weight | → 35 Kg. |
| Table Dimensions | → H145cm x W65cm X D60cm |
| Table Weight | → 45 Kg. |
| Electricity | → 220 V - 50 Hz. |
| Chest Interior Dimensions | → 72 X 67 X 45 |
| Outside Box Dimensions | → 80 X 75 X 60 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

body are made of stainless steel and you can use it for a long time without any problems. Thanks to its strong resistance, it adapts to your production speed by increasing the pressure to 6-7 bars in a short time. Our machine, which can automatically draw water from the valve to which it is connected as the water in the boiler decreases and stops when it is full, is produced in CE standards.



Technical details

| | |
|---------------------------|----------------------------------|
| Code & İsim | → S-30 LARGE TEMPERATURE MACHINE |
| Resistance | → 2500W |
| Capacity | → 30 lt. |
| Bar | → 7-8 |
| Dimensions | → H65cmXw117cmXd80cm |
| Weight | → 50 Kg. |
| Electricity | → 220V-50 Hz |
| Chest Interior Dimensions | → 60 X 61 X 115 |
| Outside Box Dimensions | → 68 X 69 X 130 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

The inner chamber and intermediate body are made of stainless steel and you can use it for a long time without any problems. Thanks to its strong resistance, it adapts to your production speed by increasing the pressure to 6-7 bar in a short time.



Technical details

| | |
|---------------------------|----------------------|
| Code & İsim | → S-12 STEAM MACHINE |
| Resistance | → 2500W |
| Capacity | → 12 lt. |
| Bar | → 7-8 |
| Dimensions | → H45cmXw50cmXd24cm |
| Weight | → 22 Kg. |
| Electricity | → 220V-50 Hz |
| Chest Interior Dimensions | → 30 X 55 X 50 |
| Outside Box Dimensions | → 38 X 63 X 65 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

You can achieve a matte appearance on the surface of your products with the sand machine unit, where sand is automatically filled and emptied into the sand cabin.



Technical details

Code & İsim

→ SN-01 SANDBLASTING MACHINE

Air Aspirator

→ 230 V - 50-60 Hz.

Bar

→ 4-5

Dimensions

→ H93cm X W56 cm X D44 cm

weight

→ 40Kg.

Electricity

→ 220V-50 Hz

Chest Interior Dimensions

→ 53 X 60 X 100

Outside Box Dimensions

→ 61 X 68 X 115



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

The press is a product that facilitates and accelerates the pressing process and, most importantly, collects the losses occurring after pressing into the filter system and prepares it for welding during grinding. There is a height adjustment that you can adjust according to the height of your product, and a sanding rotation speed that is adjusted according to the hardness of the product on the machine. In this way, a smooth surface is obtained without any problems in every dimension of the product.



Technical details

| | |
|---------------------------|---------------------------|
| Code & İsim | → SAN-01 SANDING MACHINE |
| DC Motor | → 18 V. 0-59 RPM |
| Grinding engine | → 0.33 Hp.0.25Kw,1000 RPM |
| Suction Power | → 4250 Q:M3/H |
| Dimensions | → H130cm X W50cm X D 60cm |
| Weight | → 35Kg. |
| Electricity | → 220V-50 Hz |
| Chest Interior Dimensions | → 55 X 90 X 140 |
| Outside Box Dimensions | → 63 X 98 X 155 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

This machine is made of stainless steel, specially manufactured for high quality, good glossy surface and fast drying after washing or coating of chain and corrugated products. It is up to you to adjust the rotation speed with the inverter, the operating time with the timer, and the operating temperature with the thermostat.



Technical details

| | |
|---------------------------|----------------------------|
| Code & İsim | → CD-01 CENTRIFUGE MACHINE |
| Motor | → 1.5 Hp. 1.1 Kw. |
| Resistance | → 1000W |
| RPM | → 1000 |
| Timer | → 0-60 min. |
| Basket | → 270 mm. |
| Dimensions | → H100cm X W42cm. X D73cm. |
| Weight | → 75 Kg. |
| Electricity | → 220 V-50-Hz. |
| Chest Interior Dimensions | → 74 X 46 X 100 |
| Outside Box Dimensions | → 82 X 54 X 115 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

This machine is made of stainless steel, specially manufactured for high quality, good glossy surface and fast drying after washing or coating of chain and corrugated products. It is up to you to adjust the rotation speed with the inverter, the operating time with the timer, and the operating temperature with the thermostat.



Technical details

Code & İsim

→ TD-01 TURBO DRYING MACHINE

Motor

→ 1/3 Hp. 0.25 Kw.

Resistance

→ 1500 W

RPM

→ -

Timer

→ 0-30 min.

Basket

→ -

Dimensions

→ H85cm X W68cm. X D38cm.

Weight

→ 45 Kg.

Electricity

→ 220 V-50-Hz.

Chest Interior Dimensions

→ 0-90 C

Outside Box Dimensions

→ 42 X 73 X 90

→ 50 X 81 X 105



GOLD MACHINE

PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

This machine is made of stainless steel, specially manufactured for high quality, good glossy surface and fast drying after washing or coating of chain and corrugated products. It is up to you to adjust the rotation speed with the inverter, the operating time with the timer, and the operating temperature with the thermostat.



Technical details

| | |
|---------------------------|-----------------------------|
| Code & İsim | → TD-02 MEGA DRYING MACHINE |
| Motor | → 1/2 Hp. 0.37 Kw. |
| Resistance | → 3000W |
| RPM | → - |
| Timer | → 0-30 min. |
| Basket | → - |
| Dimensions | → H88cm X W96cm. X D59cm. |
| Weight | → 55 Kg. |
| Electricity | → 220 V-50-Hz. |
| Heat | → 0-90 C |
| Chest Interior Dimensions | → 43 X 53 X 65 |
| Outside Box Dimensions | → 51 X 61 X 80 |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

Ultrasonic washing devices are an indispensable product, especially after the polishing stage, where you can clean the chemicals or dust on the product by heating the water with the help of a transducer and creating vibration. It has the capacity to bring dusty products with you and all types are completely stainless.



Technical details

| Code & Name | 4 Lt. Ultrasonic Washing | 12 Lt. Ultrasonic Washing | 18 Lt. Ultrasonic Washing | 18 Lt. Ultrasonic Special Washing | 30 Lt. Ultrasonic Washing | 40 Lt. Ultrasonic Washing | 50 Lt. Ultrasonic Washing | 60 Lt. Ultrasonic Washing | 60 Lt. Ultrasonic Special Washing | 90 Lt. Ultrasonic Special Washing |
|-------------------|--------------------------|---------------------------|---------------------------|-----------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|-----------------------------------|-----------------------------------|
| Capacity | 4 LT. | 12 LT. | 18 LT. | 18 LT. | 30 LT. | 40 LT. | 50 LT. | 60 LT. | 60 LT. | 90 LT. |
| Strength entrance | 220 V - 50 Hz. | 220 V - 50 Hz. | 220 V - 50 Hz. | 220 V - 50 Hz. | 220 V - 50 Hz. | 220 V - 50 Hz. | 220 V - 50 Hz. | 220 V - 50 Hz. | 220 V - 50 Hz. | 220 V - 50 Hz. |
| Heating Power | 200 W | 750 W | 750 W | 750 W | 1500 W | 650-850 W | 1000-1250 W | 1100-1350 W | 1100-1350 W | 1100-1350 W |
| Heat | 0-90 C | 0-90 C | 0-90 C | 0-90 C | 0-90 C | 0-90 C | 0-90 C | 0-90 C | 0-90 C | 0-90 C |
| Timer | 1-60 Min. | 1-60 Min. | 1-60 Min. | 1-60 Min. | 1-60 Min. | 1-60 Min. | 1-60 Min. | 1-60 Min. | 1-60 Min. | 1-60 Min. |
| Frequency | 40 Hz. | 40 Hz. | 40 Hz. | 40 Hz. | 22-44 Hz. | 28/38/40 KHz | 28/38/40 KHz | 28/38/40 KHz | 28/38/40 KHz | 28/38/40 KHz |
| Dimensions | H32cm X W29 cm X D19 cm | H40 cm X H40 cm X D 30 cm | H41 cm X W35 cm X D 33 cm | H41 cm X W35 cm X D 33 cm | H88 cm X W50 cm X D 44 cm | H88 cm X W55 cm X D 44 cm | H88 cm X W55 cm X D 49 cm | H88 cm X W55 cm X D 54 cm | H88 cm X W55 cm X D 54 cm | H88 cm X W55 cm X D 70 cm |
| Electricity | 220 V | 220 V | 220 V | 220 V | 220 V | 220 V | 220 V | 220 V | 220 V | 220 V |
| Weight | 4.4 Kg. | 10 Kg. | 10 Kg. | 34 Kg. | 34 Kg. | 38 Kg. | 42 Kg. | 45 Kg. | 50 Kg. | 60 Kg. |



GOLD MACHINE
PIONEER OF RECYCLING

www.goldmakina.com





MACHINERY & EQUIPMENT FOR JEWELRY

**FACTORY I.O.S.B METAL - Business No.Sit.8.Block No:28/30
Başakşehir-IST./TURKEY Tel:+90 212 549 80 67- 528 82 53
Fax:+90 212 549 80 68- 526 62 39**

**İSTANBUL ÇEMBERLİTAŞ OFFICE Binbirdirek Mah. Pierlotti Cad.
Ortaklar İş Hanı No: 19/33 Çemberlitaş-Fatih / İST.-TURKEY
Tel:+90 212 527 70 42-528 82 53 Fax:+90 212 526 62 39**

**ISTANBUL MAIN OFFICE Kuyumcukent Complex Workshop Block
1st Floor 11th Street. No:8 Yenibosna/IST.-TURKEY Tel:+90 212
603 23 08**

**BAE FABRİKA Golden Machine Equipment Manufacturing L.L.C
DIP2 BLDNG 11 WH:3-4 TEL:+971 457 638 42 MOB: -524024474**

**THAILAND OFFICE Shop No:9-10
981 Silom Road Bangrak Bangkok 10500 +66 95 881 2618**



**GOLD MACHINE
PIONEER OF RECYCLING**

www.goldmakina.com

